

Pomegranate Vegetative Propagation as Practiced at the USDA – Davis, National Clonal Germplasm Repository

Photos and information provided
courtesy of *Jeff Moersfelder*

Dormant Cuttings



Rooting Hormone



Examples:

- 0.2% NAA
Rootone or
- Dip'n Grow
diluted to
1,000ppm IBA +
500ppm NAA or
- Dip'n Grow
diluted to
2,000ppm IBA +
1,000ppm NAA
(especially for more
difficult to root
selections)

Rooting Media



- 1:1 by volume vermiculite and perlite

Bottom Heat (75-80 F)



Cuttings Ready for Potting



Potting medium: Peatmoss + Perlite
+ Supersoil (go to the internet for a description of
this product); 1:1:1 by volume.

